

Sex Education Sexuality, Society and Learning

ISSN: (Print) (Online) Journal homepage: https://www.tandfonline.com/loi/csed20

What do 3–6-year-old children in Finland know about sexuality? A child interview study in early education

Raisa Cacciatore, Lotta Öhrmark, Julia Kontio, Dan Apter, Susanne Ingman-Friberg, Markus Jokela, Nina Sajaniemi, Julia Korkman & Riittakerttu Kaltiala

To cite this article: Raisa Cacciatore, Lotta Öhrmark, Julia Kontio, Dan Apter, Susanne Ingman-Friberg, Markus Jokela, Nina Sajaniemi, Julia Korkman & Riittakerttu Kaltiala (19 Mar 2023): What do 3–6-year-old children in Finland know about sexuality? A child interview study in early education, Sex Education, DOI: <u>10.1080/14681811.2023.2188182</u>

To link to this article: <u>https://doi.org/10.1080/14681811.2023.2188182</u>

© 2023 The Author(s). Published by Informa UK Limited, trading as Taylor & Francis Group.

Sex Education

R Routledge

Published online: 19 Mar 2023.

|--|

Submit your article to this journal 🗹

Article views: 911

View related articles 🕑



View Crossmark data 🗹

Routledae Taylor & Francis Group

OPEN ACCESS Check for updates

What do 3-6-year-old children in Finland know about sexuality? A child interview study in early education

Raisa Cacciatore^{a,b}, Lotta Öhrmark^C, Julia Kontio^C, Dan Apter^d, Susanne Ingman-Friberg ^{bd}, Markus Jokela^c, Nina Sajaniemi ^{be}, Julia Korkman ^f and Riittakerttu Kaltiala

^aInstitute of Clinical Medicine, University of Helsinki, Helsinki, Finland; ^bDepartment of Body-Emotion Education, Family Federation of Finland, Väestöliitto, Helsinki, Finland; ^cDepartment of Psychology and Logopedics, Medicum, University of Helsinki, Helsinki, Finland; ^dVL-Medi Clinical Research Centre, Helsinki, Finland; eSchool of Applied Educational Science and Teacher Education, Philosophical Faculty, University of Eastern Finland, Joensuu, Finland; The European Institute for Crime Prevention and Control, affiliated with the United Nations, Department of Psychology, Åbo Akademi University, Turku, Finland; ⁹Department of Adolescent Psychiatry, Faculty of Medicine and Health Technologies, Tampere University and Tampere University Hospital, Tampere, Finland

ABSTRACT

Only a very few studies to date have comprehensively assessed children's knowledge of sexuality. In this study, we examined the level of sexual knowledge among children aged 3-6 years in Finland. We analysed children's explanations of what they saw in drawings related to genital naming, conception and childbirth, safety skills, and adult sexual activity. Levels of knowledge were generally low. The largest number of correct answers were given for genital naming and safety skills. Knowledge increased with age. Children's gender was not related to their total level of knowledge. There was a correlation between children's ability to name their genitals and their knowledge of safety skills. The results suggest that only what is known about can be protected. Building on the findings of this study, age-appropriate sexuality education should be provided to all children.

ARTICLE HISTORY

Received 22 October 2022 Accepted 3 March 2023

KEYWORDS

Early education; childhood sexuality; sexual knowledge; picture-assisted interview; sexuality education; preschool children

Introduction

Sexuality and sexuality education in early childhood often go unmentioned or opposed due to myths, tradition, and fears. The term sexuality often has adult connotations and sexuality is not seen as a part of childhood (Cacciatore et al. 2020; Brilleslijper-Kater and Baartman 2000). While many sexuality issues only become relevant in adolescence, this is not the case for all topics. The objective of early sexuality education is to provide ageappropriate and safety-enhancing information about the body, rights, emotions and skills to protect physical integrity, and positive attitudes to reinforce a healthy body image

This is an Open Access article distributed under the terms of the Creative Commons Attribution-NonCommercial-NoDerivatives License (http://creativecommons.org/licenses/by-nc-nd/4.0/), which permits non-commercial re-use, distribution, and reproduction in any medium, provided the original work is properly cited, and is not altered, transformed, or built upon in any way. The terms on which this article has been published allow the posting of the Accepted Manuscript in a repository by the author(s) or with their consent.

CONTACT Raisa Cacciatore 🖂 raisa.cacciatore@vaestoliitto.fi

This article has been republished with minor changes. These changes do not impact the academic content of the article. © 2023 The Author(s). Published by Informa UK Limited, trading as Taylor & Francis Group.

(WHO Regional Office for Europe and BZgA 2010; Cacciatore, Korteniemi-Poikela, and Kaltiala 2019), to which all children are entitled (Cacciatore et al. 2020).

Importantly, children may encounter explicit sexual material online and need help dealing with it, hence the importance of preparing children for everyday social realities that, according to the European Court of Human Rights (2018), justifies the provision of early sexuality education. In Finland, at 18 months, children spend on average over half an hour, and at 5-years-old more than two hours a day, using e-media devices (Niiranen et al. 2021). Of 5–6 and 7-year-olds respectively, 87% and 100% have their own telephone, of which 75% and 89% are smart phones (DNA 2022). Because of this, sexuality must be openly discussed with children from an early age in a manner appropriate to their developmental level (WHO Regional Office for Europe and BZgA 2010).

Attitudes about childhood sexuality and sexuality education vary considerably depending on culture, place, context and time. Finland is a comparatively open-minded country regarding sex and sexuality education. Sexuality education has been mandatory in schools since 2002 (Apter 2011), and since 2022, the mandatory national early childhood education and care (ECEC) curriculum (Finnish National Agency for Education 2022, 48) requires teachers and carers to ensure that 'children's age-appropriate curiosity towards sexuality and the body is guided respectfully'.

So far as we are aware, Finland is the only country where universal ECEC at all ages includes information related to sexuality, safety skills and the body equally for all children. Each child's individual ECEC plan is made together with the child's parents. Given the ubiquity of sauna culture, nudity is widely accepted in Finland and considered natural within the family. Yet talk about childhood sexuality may be taboo (Cacciatore et al. 2020) or unfamiliar to teachers and carers without appropriate training. Growing awareness of child sexual abuse may even strengthen the taboo against discussion of childhood sexuality. Without good quality research, there is no information regarding children's level of knowledge about sexuality in Finland or whether this changes over time.

Children's sexual expression, interests and knowledge differ from those of adolescents and adults (Cacciatore et al. 2020; Cacciatore, Korteniemi-Poikela, and Kaltiala 2019; Sandnabba et al. 2003). Only a few studies have explored comprehensively children's perspectives on sexuality or current knowledge thereof (van Ham et al. 2021), the focus being mostly on childhood sexual abuse prevention (Wurtele and Kenny 2011). Studies assessing the sexual knowledge of non-abused young children would yield important information on their need for age-appropriate sexuality education.

Studying children's sexuality is not easy (González Ortega 2020; Lyon 2014; de Graaf and Rademakers 2011). Retrospective accounts of early experiences may be distorted or inaccurate as memory fades with time and memories may be reconstructed based on current understandings (Lahtinen 2022). Asking parents and early education professionals is also problematic because of their attitudes, memory, background and willingness to report affect observations (de Graaf and Rademakers 2011). In addition, children also tend to hide their sexual play (Cacciatore et al. 2020). Beyond this, young children have limited vocabulary, social skills and ability to concentrate (de Graaf and Rademakers 2011). They are suggestible and tend to try to please adults with their answers. They may find questioning frightening and sense the unspoken nature of sexuality (Cacciatore et al. 2020). Finally, children may feel ashamed or guilty regarding their own sexual experiences and it is hard to be certain that they openly tell us what they know (van Ham et al. 2020). The literature suggests variation across countries, ethnicities and socioeconomic status, as well as by sex, in levels of sexual knowledge among non-abused children aged 2–9 years (Goldman and Goldman 1982; Gordon, Schroeder, and Abrams 1990; Volbert 2000; Caron and Ahlgrim 2012; Wurtele, Melzer, and Kast 1992; Brilleslijper-Kater and Baartman 2000; Bem 1989; van Ham et al. 2021). Children appear to have most knowledge about the names of genitals and sex differences, and least knowledge about safety skills, pregnancy and adult sexual behaviour. However, research on children's sexual knowledge is scarce and relevant studies have been conducted in only a few countries.

To assess the sexual knowledge of young children, interviews have often been used (Wurtele 1993; Wurtele and Owens 1997), sometimes accompanied by drawings of the body (Wurtele, Melzer, and Kast 1992; Kenny and Wurtele 2008), or drawings covering sexuality more comprehensively (Gordon, Schroeder, and Abrams 1990; Volbert and Homburg 1996; Brilleslijper-Kater and Baartman 2000; Brilleslijper-Kater 2005; van Ham et al. 2021), photographs (Bem 1989; Davies and Robinson 2010), and drawing assignments (Caron and Ahlgrim 2012). Existing studies have focused on children's knowledge of sex differences, gender identity, body parts and their functions, adult sexual behaviour, pregnancy, childbirth, and safety skills. The main findings from studies using drawings are summarised in Table 1, showing that children's level of knowledge increases with age but does not increase over time. Socio-cultural background seems to be more influential than age in affecting knowledge levels, meaning that lower-class children typically know less about sexuality than middle- and upper-class children, regardless of age.

The Nordic countries are considered progressive regarding sexuality education, but no research from Finland has been published on sexual knowledge elicited directly from children. In this study, we aimed to ascertain what 3–6-year-olds attending Finnish early education know about sexuality (genital naming, conception and childbirth, adult sexual behaviour, and safety skills) and how this knowledge relates to the child's age or sex. The hypothesis was that Finnish children would have at least as much sexual knowledge as similarly aged children in earlier research conducted in other countries and would express it freely. Findings would help determine what knowledge, skills and attitudes best support and protect their sexual development.

Methods

Study design

The study was conducted between September-November 2019. It used a structured interview in which children responded to drawings. We chose to use open-ended questions and quite complex drawings of social situations to elicit responses, because young children respond better to concrete stimuli, and because verbal questioning without the use of visual aids might be too abstract for them (e.g. Brilleslijper-Kater and Baartman 2000).

The study was conducted in seven municipal early childhood education units in two metropolitan municipalities, RII and HEI (pseudonyms), with approximately 30,000 and 660,000 inhabitants respectively. Both municipalities have recently (2017 and 2019) begun to include sexuality education in the mandatory local ECEC curriculum, but without systematic staff training. The proportion of multicultural families in the studied units varied between 25% and 56%. Our goal was to include at least 40 children of each of the following age groups (3, 4, 5, 6-year-olds), with an equal number of girls and boys in each. We include 3–6-year-olds in

	Differences in children's knowledge by age, sex and demographic background	Knowledge increased with age. e.g. 4-year-olds: 30% named penis, 27% breasts, only 10% vagina. No gender differences. Lower-class children knew significantly less about GN, SS and total knowledge than middle- and upper-class children about. Lower-income parents had a more restrictive attitude towards sexuality and taught their children less than higher-income parents.	(Continued)
	Findings	 GI: 94% identified own gender. Only few of younger and>50% of 6-7-year-olds identified their gender on genital basis. GN: 68% knew right or slang term for penis and 52% for vagina. Most knew urinating function; seven other as 'babies come out of there', 'to play with'. NB: Well known in all age groups. PB: 15% knew of sperm or egg. 6 children knew of penis in vagina. PB: 15% knew of sperm or egg. 6 children knew of penis in vagina. SS% baby in uterus. 30% genital delivery or Caesarean section. SS: 64% named penis, 58% vagina and 60% anus as a private part. SS% knew to tell someone about inappropriate touch, but answers as 'say no', 'get away' were not awarded. AS: 0% knew much but 8 children some as 'making love, trying to have a baby, doing a nasty'. 	
xual knowledge*	Topics studied with drawings	Gender identity and sex (G) Sexual Body parts/Genital naming (GN) and functions Non-sexual hurctions (NB) Pregnancy and birth (PB) Safety skills (S) (S) Adult sexual activity (AS)	
Table 1. Drawing-assisted interview studies of non-abused children's sexual knowledge * .	Design	20 black and white drawings adapted from SE materials designed for this age group. Structured protocol, 7 interviewers. Recorded in an interview transcript. The parent present when needed.	
g-assisted interview studi	Subjects: age, number (boys/girls), recruited from, sample characterisation (if any)	 2–7- year-olds, n = 130 (74/ 56). From a private paediatric practice and a public health clinic. Majority upper-class families. 	
Table 1. Drawin	Authors, year, country	Gordon, Schroeder, and Abrams (1990). USA	

Authors, year, country	Subjects: age, number (boys/girls), recruited from, sample characterisation (if any)	Design	Topics studied with drawings	Findings	Differences in children's knowledge by age, sex and demographic background
Volbert and 2–6- Homburg (1996). 63).	2–6-year-olds, <i>n</i> = 147 (84/ 63).	15 black and white drawings.	פו	GI: 89% identified own gender; 99% identified sex in pictures.	Knowledge increased by age.
Germany		Individually interviewed in their	GN and	_	No differences between
	From kindergartens/ preschools in Berlin and 2	kindergarten.	functions	GN: 96% named penis, 90% named vulva. 5% used right terms.	genders or municipals.
	smaller cities.	Structured protocol, specific	PB	0	The level of sexuality education
		questions such as does the baby		PB: 10% knew of sperm or egg or coitus, 2	reported by parents had
	60% of parents refused	come out from the bottom, the	AS	detailed. Some said: 'Mom bays her babies',	a significant impact on
	because the child was too	navel or the [child's word for		'The baby is picked up at the hospital'.	children's knowledge.
	young.	vulva].	Child/child		
			intimacy	75% baby in uterus. 40% genital delivery or	
	Most parents had an		(CCI)	caesarean section.	
	מירומלר ורירו טו במתרמוטון.		Child/adult	AS : No knowledge (3 something as 'they make	
			intimacy (CAI)	a baby with seed'.)	
				CCI: 13% indicated forbiddance 'He musn't do that'.	
				Cal : no shires related comments	

(Continued)

Authors, year, country	Subjects: age, number (boys/girls), recruited from, sample characterisation (if any)	Design	Topics studied with drawings	Findings	Differences in children's knowledge by age, sex and demographic background
Brilleslijper-Kater and Baartman (2000)	Brilleslipper-Kater $2-7$ -year-olds, $n = 63$ (31/ and Baartman 32).	15 drawings, developed by Volbert and Homburg (1996).	GI GN and	GI : 97% identified own gender; 79% identified sex in pictures.	Knowledge increased by age. No cender differences
Netherlands	From one kindergarten, one	Individually interviewed about 30	functions	GN: 95% named penis and 78% vagina, also	
	preschool, one after-school	min in their kindergarten/school.	2	child's own words were accepted.	52% of parents provided
	kindergarten in Amsterdam area	Video-recorded	PB	Urination Tunction 85% penis, 68% vagina. Some other as: 'One can stroke it' 'Three	sexuality education only if the child acked
			AS	holes: for pee, poop and a baby'	
	Parents mainly high				
	educated, not religious,		CCI	PB: 11% mentioned seed or egg and 6%	
	native Dutch.			something related to intercourse. No-one	
			CAI	knew where the baby comes out.	
	Children tested IQ >				
	average and vocabulary >			AS: 38% turned the picture up. 2% knew of	
	average.			intercourse, 3% something such as they make	
				a baby, 10% gave a sexual meaning as 'they	
				are rucking , witnout naming penis in the	
				vagina.	
				CCI: answers simple and descriptive.	
				CAI : answers simple and descriptive.	

	Subjects: age, number (boys/girls), recruited from, sample characterisation (if any)	Design	Topics studied with drawings	Findings	Differences in children's knowledge by age, sex and demographic background
Brilleslijper-Kater 3 (2005). Netherlands	Brilleslijper-Kater 3–7-year-olds, <i>n</i> = 99 (48/ (2005). 51) Netherlands	14 drawings, developed by Volbert and Homburg (1996).	ט	GI: own gender well identified, 25% genital basis.	Knowledge increased by age. No gender differences
	From 3 kindergartens and 2 after-school centres in Amsterdam area.	Individually interviewed about 30 min in their kindergarten/school.	GN and functions	GN : 99% named penis and 84% vagina, when also child's own words were accepted. Most knew urinating function; 10% birth function	
ΕŪ	Parents average or high job classification, 68% not	Video-Recorded.	PB AS	(vagina), one 6yo: 'To have intercourse' (penis).	
L	religious.		CCI	PB: 12% mentioned seed or egg; 5% related to intercourse. 23% genital delivery or	
	Children tested 83% IQ > average and 100% good receptive vocabulary.		CAI	caesarean section, 31% did not know where baby comes out.	
			Children's non-verhal	AS: 8% intercourse, 16% something sexual.	
			reactions (NV)	CCI : 11% neutral touch, 54% sexual description.	
				CAI: 60% neutral touch, 0% sexual description.	
				NV: open, natural, unsuspicious reactions.	

Authors, year, country	Subjects: age, number (boys/girls), recruited from, sample characterisation (if any)	Design	Topics studied with drawings	Findings	Differences in children's knowledge by age, sex and demographic background
van Ham et al. (2021). Netherlands	3–9-year-olds, <i>n</i> = 90 (45/ 45).	15 drawings, based on Volbert and Homburg (1996).	GI GN and	GI : 90% identified own gender; 99% identified sex in pictures.	3-year-olds knew least, 4–9-year-olds equally.
	The aim to get 100 children failed.	Specially trained interviewers. Video-Recorded	functions	GN: 98% (of all) named penis and 74% vagina (62% Bs, 85% Gs). Most knew urinating function: one knew cevual function	Girls gave more correct answers than boys in all topics, but girls median and was hirder
	From pre- and primary		AS		
	schools around country.		CCI	AS : 38% making love (31% Bs, 44% Gs)	
	99% children born in Netherlands, 10%		CAL	CCI: 80% descriptive.	
	had second language.		N	CAI: 53–93% descriptive.	
	No visual or cognitive impairment, psychiatric or behavioural disorder, earlier nicture-assisted			NV: Pictures of naked children or adults, love making, and children's play elicited most reactions as giggling.	
	interview.				

the study because 2-year-olds tend to express themselves more non-verbally than verbally, and because in Finland 7-year-olds already attend school.

We (RC, SIF) submitted the study description, pictures and interview protocol to early childhood education professionals in each of the study sites via email and at a briefing meeting. The professionals distributed information and consent forms to the parents of attending 3–6-year-old children and collected the parental consent forms. Only agreements were returned and counted. Early education teachers familiar to the children then conducted the interviews in their respective units.

LÖ attended the interviews and trained the teachers in how to carry out the interviews. It was emphasised that the child should be free to answer each question openly. If a child did not understand a question or was afraid to answer, teachers were advised to encourage them with more direct, but not leading, questions. At the beginning of each session, the researcher greeted the child; set up the audio-recording; and registered the child's age, sex and observed their behavioural reaction on arrival (e.g. relaxed, tense, giggly). They also noted any special events, such as interruptions. Other background factors were not assessed. After the interviews had been transcribed and anonymised, the audio recordings made during the interviews were destroyed.

A warmup picture was shown first to engage the child. The teacher then asked the child open-ended questions about what was happening in the pictures and how the children or adults depicted in the pictures might feel in that situation.

Study instruments

We developed ten specially designed drawings for the study and one additional drawing for the warmup drawing featuring two running children. The drawings and the interview protocol were designed by experts in childhood sexuality education (SI-F), early education (NS), child psychiatry (RC), forensic interviewing of children (SV, JK), and childhood sexual knowledge studies (RV). Sample illustrations, inspired by the work of Volbert and Homburg (1996, 2000), are shown in Figure 1. The questions associated with the different pictures were of the following type.

I'll show you some pictures and you can tell me what you see. What is happening in this picture? What are the children doing? What are those people thinking or saying? Tell me how the baby will get out of the tummy? Very good!

The interview protocol was based on those used in earlier studies (Volbert 2000; Brilleslijper-Kater and Baartman 2000) and the WHO Standards for Sexuality Education in Europe 2010. The interview covered eight topics as follows: (1) the human body and human development; (2) fertility and reproduction; (3) sexuality; (4) emotions; (5) relationships and lifestyles; (6) sexuality, health, and well-being; (7) sexuality and rights; (8) social and cultural determinants of sexuality (values/norms). The protocol determined the order in which the pictures were presented, and the questions asked. The children's answers were not corrected in any way.

Variables and scoring analyses

For this paper, we analysed responses related to the topics of genital naming; conception and childbirth; safety skills (two drawings); and adult sexual activity, all of these together

10 🕞 R. CACCIATORE ET AL.

Picture 1:	Genital naming			Specific questions:	and a
Variable 1 & 2:	Names penis / vagina			What is that place called?	
Nothing/ Does no		=	0	What about that?	× 1-3
Own word or a w		=	1	(Teacher points to the genital area).	
Appropriate term		=	2		
	oy and girl, counted together				L J
= sum variable (m	1ax. 4).				
Picture 2:	Conception and childbirth			Specific questions:	
Variable 3:	Knows how baby goes in			How did the baby get into the belly?	
Nothing/ Does no	t know	=	0	(Teacher can point to the belly).	
from seed, momr	ny and daddy made him, etc.	=	1	How will the baby get out of there?	m l
From daddy's see	d and mommy's egg, etc	=	2		
					And and
Variable 4:	Knows how the baby comes out				(a)
Nothing/ Does no		=	0		
In the hospital, w		=	1		111
From mommy's v	•	=	2		225
All points counted	d together = sum variable (max. 4).				
Picture 3:	Safety skills			Specific questions:	-
Variable 5:	Identifies the situation as unwan	ted		How does the taller child feel?	
Nothing/Does not	t know	=	0	What should he do about it?	199
The child said tha	t the situation is unpleasant but did	_	1		Sel 1
not say why		-	1		
	ed the situation as unpleasant "he	=	2		111 16
teases", "he tears	" or the shorter child is touching		-		22 22
Variable 6:	Suggest safety skills				
Nothing/ Does no	t know	=	0		
	safety-steps (say no, get away, tell		1		
an adult)		=	1		
Two of them		=	2		
Picture 4:	Safety skills	•••••		Specific questions:	
Variable 7:	Knows what to do if encounters	bad		What can you do if you see	
	things in media			something scary or something that	- and the
Nothing/Does not	-	=	0	makes you worrisome?	35 8
-	easonable for feeling better	=	1		CON
	afety-steps or one safety-step and				
'put it away'		=	2		
Safety skills count	ted together = sum variable (max. 6)				
Picture 5:	Adult sexual activity			Specific questions:	
Variable 8:	Identifies the situation as sexual			What is happening in this picture?	
Nothing/Does not		=	0	Where could those people be?	
In shower, sleepir		=	0	there could hose people bet	
	her, they like each other, they kiss,	-	0		
	or in other words describe an	=	1	Cart and	
intimate relations		_	-	Con the second	-
Making babies, ha		=	2		
in share babies, ne			-		

Figure 1. Scoring of the pictures.

five drawings. We asked one or two questions per picture, which resulted in eight question variables.

Children's responses were scored on a scale of 0–2 as follows: 0= does not know, 1= partial knowledge, 2= adequate knowledge. We also calculated an overall summed score across all the items (0–16 points) and separate summed scores for genital naming (2 items), conception and childbirth (2 items), and safety skills (3 items). If the interviewer deviated too far from the protocol (e.g. by asked a leading question such as 'They are happy, aren't they?' or did not ask anything, etc.), a score of 0 was given.

The ratings were made by two independent raters (LÖ, JKon). The raters also scored 24 common questions to test inter-rater reliability of the scoring. The inter-rater reliability was very high (r = 0.97), with the raters giving the same score in 96% of the questions.

Statistical analyses

We first determined the frequencies of correct, partially correct, and 'do not know' answers to each topic, and then calculated correlations between different items using Pearson's correlation coefficient. The mean (and standard deviation) of the general level knowledge summed scores was calculated for each age group (3, 4, 5, 6-year-olds), and the age groups were compared using one-way analysis of variance (ANOVA). Associations of age and gender with the summed scores and individual items were analysed using ordinal logistic regression, with the responses coded as 0 (does not know), 1 (partially correct), and 2 (correct). The results were expressed as odds ratios (OR) with 95% confidence intervals (CI). Child's sex and age were entered into the model simultaneously. Analyses were run separately for all the question items and for the summed variables measuring general knowledge of all topics. SPSS software was used for all the analyses.

Ethics

The University of Helsinki Ethics Review Board in Humanities and Social and Behavioural Sciences approved the research protocol for the study (Ref 34/2019). We also sought and received permission to conduct the research from both municipalities. Parents were informed in advance and written permission was obtained for children's participation. Participation was completely voluntary, and the withdrawal was possible at any time. No payments were made to participants. The children had the opportunity to refuse to participate or discontinue their involvement in the study.

Results

Participants

A total of 143 3–6-year-old children were interviewed, but 11 of these interviews were excluded: five were interrupted because of the child's restlessness or unwillingness to participate and six children fell outside the target age group. Thus, the final data included responses from 132 children (70 boys and 62 girls) (Table 2).

Background variables	Sex	Boys	Girls	Total
Age (years)				
3		13 (10.2%)	10 (7.6%)	23 (17.4%)
4		12 (9.1%)	14 (10.6%)	26 (19.7%)
5		30 (22.7%)	19 (14.4%)	49 (37.1%)
6		15 (11.4%)	19 (14.4%)	34 (25.8%)
Total		70 (53%)	62 (47%)	132 (100%)

Table 2. Age, sex, number and the percentage of all participants.

12 🛞 R. CACCIATORE ET AL.

Qualitative observations of the children's reactions in the interviews

Upon arrival, about half of the children seemed to be at ease (relaxed position, made eye contact, interacted verbally), whereas the others appeared to be tense or nervous (rigid position, quiet and brief answers). In addition, when pictures with nudity were shown, some children started responding by whispering, rapidly turning to the next picture, and frequently responded with 'I don't know'. Some 6-year-olds said, for example, 'Yuck!' or 'I'm not supposed to say that word' when it came to the genital naming picture, as in the following example:

(What's the name of that place?) 'Don't know' (You don't know. Mm ... What about that?) 'Don't know' (You don't know ...) 'I'm not supposed to say that' (You must not say ...) 'They are toilet words' ([...] Would you have known them?) 'I do not want to say'

(6-year-old boy, with teacher's questions shown in brackets)

The children looked for longer and talked more when presented with pictures that including children. Towards the end, some children appeared to become tired or bored, merely glancing at the pictures, talking less and more frequently responding 'I don't know'.

Item-by-item level of knowledge

The percentages of correct, partially correct, and wrong/no answers for each topic are presented in Table 3. The children were most knowledgeable about genital naming and recognising peer-to-peer harassment as unpleasant (Picture 3, Figure 1). Additional details and examples are given below.

Picture 1: genital naming

Knows how a baby gets into the tummy

Identifies the situation as unwanted

Identifies the situation as sexual

Picture 3

Picture 4

Picture 5

Suggests safety skills*

Knows how a baby gets out of the tummy

Knows what to do if encounters bad things in media**

Of the children who answered, almost all used the well-established names that children used to describe genitals *pimppi/pimpsa* (vulva) and *pippeli/kikkeli* (penis), which we scored as correct. Of all the children, 51.5% (n = 68) correctly named the female genitals, while 3.8% (n = 5) used an incorrect name, such as butt/bottom. Nearly half of the children

	No correct information	Partially correct	Correct information
Picture 1			
Names vulva	44.7	3.8	51.5
Names penis	34.1	4.5	61.4
Picture 2			

97.0

60.6

11.4

41.7

62.8

84.8

3.0

17.4

15.2

56.1

36.3

15.2

0.0

22.0

73.5

2.3

0.9

0.0

Table 3. Percentage of incorrect (does not know), partially correct, and correct answers.

Note: Values are percentage points. n = 132, unless otherwise specified. * n = 130, ** n = 113 (follow-up questions).

(44.7%, n = 59) could not or did not want to answer the questions about the female genitals. Slightly more, 61.4% (n = 81), named the male genitals correctly, while 4.5% (n = 6) used an uncommon or incorrect name. One third (34.1%, n = 45) did not know or want to answer.

No children used anatomically correct adult terms such as vulva/vagina or penis. Of the children, 45.5% (n = 59) named both genitals correctly. Of those who named the female genitals correctly, 88.2% (n = 60) also named the male genitals correctly. Of those who named the male genitals correctly, 74.1% (n = 60) also named the female genitals correctly.

Both sexes knew the names of their own genitals best: 56.5% (n = 35) of girls named the female genitals, 53.2% (n = 33) the male genitals, and 48.4% (n = 30) both male and female genitals; 45.7% (n = 32) of boys named the female genitals, 68.6% (n = 48) named the male genitals, and 42.9% (n = 30) both male and female genitals.

There was no significant difference in girls' ability to name male and female genitals, whereas boys were more likely to name male than female genitals.

Picture 2: conception and childbirth

Using Picture 2 of a pregnant naked woman showering, we asked how the baby got into the tummy. Three percent (n = 4) of the children showed some knowledge, all of them 5-year-old girls, while 97% (n = 128) expressed no knowledge. One child said that the father gives the seed, one talked about seeds more generally, one mentioned that adults play together to get a baby, and one mentioned that the baby goes in and comes out from the same hole. None referred directly to intercourse or other sexual activities.

When asked how the baby comes out, 39.4% (n = 52) of the children referred to either genital delivery (22.0%, n = 29) or Caesarean section (17.4%, n = 23) and 60.6% (n = 80) expressed no knowledge or no correct knowledge.

Picture 3 and 4: safety skills

Related to Picture 3 of a child pulling another's pants, 88.6% (n = 117) of the children described the act as unpleasant. No-one mentioned the full Three-Step Rule: say no, go away, tell an adult you trust (Wurtele 1993; WHO Regional Office for Europe and BZgA 2010). Only 2.3% (n = 3) said the child should say no and tell an adult, and 56.1% (n = 74) mentioned at least one of these steps. The remaining children (41.7%, n = 55) said nothing or suggested other responses, such as hitting.

In Picture 4, a worried-looking child had a tablet computer in their lap. Most children noticed that the child was sad or worried, but some reported reasons unrelated to safety, such as that the child was hungry, the tablet battery had run out, or the child had lost a game.

If a child said that the child in the picture had seen something unpleasant (85.6%, n = 113), they were then asked what the child should do. Of these, 0.9% (n = 1) said that the child could turn off the scary content and tell an adult, and 36.3% (n = 41) offered one such response. More than half (62.8%, n = 71) of the children suggested other actions such as to go to eat or to play, or did not know what to do.

14 🛞 R. CACCIATORE ET AL.

Picture 5: adult sexual activity

In this picture, a naked adult man and woman are embracing on top of each other. Most children (84.8%, n = 112) gave an explanation without any reference to sexuality, for instance that the adults were taking a shower, a sauna, or bath, were at home, or shopping. Some intimacy in the relationship between adults was mentioned by 15.2% (n = 20) of the children, such as being married or a mother and father hugging or kissing. None referred to sex, intercourse, reproduction or the like. Often children rotated the horizontal image upright so as to get the adults to appear standing in the picture.

Gender differences

The only significant gender difference in girls' and boys' levels of knowledge was in naming genitalia: boys named male genitalia significantly more often (Table 5).

Item by item correlations

Table 4 shows the correlations between all item responses. Items 1, 2, 5, 6 and 7 showed statistically significant correlations, which indicated that children who were able to correct name the genitals (items 1, 2) were also likely to be aware of sexuality-related safety skills (items 5, 6, 7). There was also a correlation between being able to name the male and female genitals and knowing where a baby comes out (items 1, 2, and 4). No statistically significant correlation was found between items related to adult sexual interaction and conception (items 3, 8) and the other items.

The relationship between age, sex, and knowledge

Level of knowledge increased with age (M = 5.7, SD = 3.0). The mean level of knowledge (possible range between 0–16) was 3.5 among 3-year-olds and 7.2 among 6-year-olds (Figure 1). Age was related to better knowledge on all items, except for reproduction and

Variable	1.	2.	3.	4.	5.	6.	7.
1. Names vulva							
2. Names penis	.60						
3. Knows how the baby gets into the tummy	.08	.03					
4. Knows how the baby gets out of the tummy	.32	.38	.17				
5. Identifies the situation as unwanted	.29	.33	06	.20			
6. Suggests safety skills	.28	.25	.04	.11	.46		
7. Knows what to do on encountering bad things in media	.22	.24	.04	.10	.26	.34	
8. Identifies the situation as sexual	.10	.08	09	.17	.08	.12	.11

Table 4. Pearson correlation coefficients between items.

Values presented with bold font are statistically significant (p < .05). Responses are coded as 0=does not know, 1=partially correct, 2=correct.

		Sex		Age
Variable	OR	95% Cl	OR	95% Cl
1. Names vulva	1.61	0.80-3.23	1.71	1.21-2.43
2. Names penis	0.47	0.23-0.97	1.73	1.21-2.46
3. Knows how the baby gets into the tummy	2.44	0.43-13.94	0.69	0.32-1.51
4. Knows how the baby gets out of the tummy	1.05	0.52-2.10	1.73	1.21–2.49
5. Identifies the situation as unwanted	0.81	0.37-1.77	1.70	1.17-2.48
6. Suggests safety skills	1.09	0.52-2.27	2.14	1.48-3.11
7. Knows what to do on encountering bad things in media	1.34	0.60-2.98	2.70	1.68-4.32
8. Identifies the situation as sexual	1.81	0.68-4.81	1.48	0.89-2.44
9. Summed variable: Conception and childbirth	1.14	0.57-2.28	1.68	1.18-2.40
10. Summed variable: Genital naming	0.91	0.47-1.74	1.74	1.26-2.41
11. Summed variable: Safety skills	0.91	0.47-1.76	1.92	1.38-2.66
12. Summed variable: General level of knowledge	1.23	0.67–2.25	2.28	1.66–3.13

Table 5. Associations of age and sex with sexuality-related knowledge level variables.

Odds ratios (OR) and their 95% confidence intervals (CI) are from ordinal logistic regression models fitted separately for each outcome variable, and predicted by children's sex and age. ORs higher than 1.00 indicate positive associations, ORs lower than 1.00 indicate negative associations. Sex was coded as 0=girl and 1=boy. Associations presented in bold are statistically significant (p < .05).

adult sexual activity (Table 5). Girls were significantly (53%) less likely than boys to correctly name the penis. The child's sex did not correlate with any other variables (Table 5).

Discussion

The level of sexuality-related knowledge expressed by 3–6-year-olds in Finland was surprisingly low compared to earlier similar studies conducted in the USA (Gordon, Schroeder, and Abrams 1990), Germany (Volbert and Homburg 1996), and the Netherlands (Brilleslijper-Kater and Baartman 2000; Brilleslijper-Kater 2005; van Ham et al. 2021) with several (14–29) drawings covering sexuality comprehensively (Table 1). The most correct answers were related to genital naming and safety skills, and the least correct answers related to conception and adult sexual behaviour. Age correlated positively with level of knowledge in all variables except those related to conception and adult sexual behaviour, where the children provided little information, as in most earlier studies (Gordon, Schroeder, and Abrams 1990; Brilleslijper-Kater and Baartman 2000; Volbert 2000). We found no differences between the sexes in sexuality-related knowledge. A recent Dutch study found that girls score more correct answers than boys in all topics (van Ham et al. 2021).

Genital naming

The children expressed the highest level of knowledge regarding genital naming, as in other research (Gordon, Schroeder, and Abrams 1990; Volbert 2000; van Ham et al. 2021). Oddly, in this study only about half of the children named both genitals correctly.

In an earlier study conducted in Germany, Volbert (2000) found that 75–83% (n = 147, 2– 6-year-olds) gave some label to both genitals. In a parallel study in the Netherlands, Brilleslijper-Kater and Baartman (2000) found that 95% of children were able to give a name to the penis and 78% to the vagina (n = 63, 2–6-year-olds) when any reasonably appropriate 16 👄 R. CACCIATORE ET AL.

name for the genitals was considered correct. On the other hand, far fewer children were able to name the genitals in a US study when only the anatomically correct words penis and vagina were accepted as correct (Wurtele, Melzer, and Kast 1992). In a later study, also conducted in USA, children who preferred speaking English reported more names for genitals than first language Spanish-speaking children, who reported none, indicating a possible link between knowledge and cultural taboos (Kenny and Wurtele 2008).

It seems rather unlikely that almost half of 3–6-year-olds in Finland do not know any terms for the genitals. This 'lack' of knowledge may be related to societal norms and difficulty mentioning specific terms in the presence of only adults, rather than ignorance. Early education professionals often view all the language used to describe the genitals, poop, farting and so on, as 'toilet words', which strengthens the taboo concerning their use (Öhrmark 2021).

As in several earlier studies (Bem 1989; Gordon, Schroeder, and Abrams 1990; Wurtele 1993; Volbert and Homburg 1996; Brilleslijper-Kater and Baartman 2000; Kenny and Wurtele 2008; van Ham et al. 2021), children in this study were more knowledgeable about male than female genitals, and boys found greater difficulty naming female genitals.

Conception, pregnancy and childbirth

Hardly any children in this study demonstrated an even partial knowledge about conception. These results are in line with those of others (Goldman and Goldman 1982; Gordon, Schroeder, and Abrams 1990; Volbert 2000; Brilleslijper-Kater and Baartman 2000; Brilleslijper-Kater 2005; Caron and Ahlgrim 2012). Knowledge of conception was not related to age, sex or overall level of knowledge of the child, suggesting other underlying reasons such as the sexuality education received and the child's socio-cultural background.

Most of the children did not know how a baby is born. This corroborates Gordon's and Volbert's findings (Gordon, Schroeder, and Abrams 1990; Volbert 2000), although their study used leading questions as also did a Dutch study, where none of the participating 2–6-year-olds knew where a baby comes out Brilleslijper-Kater and Baartman (2000) even when presented with suggestions such as the navel, mouth, anus, vagina and an opening in the tummy.

Adult sexual activity

The children reported little understanding of adult sexual activity and, as in earlier studies, level of knowledge did not appear to increase with age (Gordon, Schroeder, and Abrams 1990; Brilleslijper-Kater and Baartman 2000; Volbert 2000; van Ham et al. 2021). Even 8-year-olds were as unaware of adult sexual activity as younger children in a recent Dutch study (van Ham et al. 2021). This strongly suggests that the topic is mostly not explained to children, or they sense its unmentionable nature.

Children's knowledge of where babies come from, and adult sexual activity was not connected to any of the other topics studied (Table 4). It appears that knowledge of 'private' body parts and sexuality-related safety skills can be taught and understood with no linked understanding of either conception or adult sexual activity. Knowledge of pregnancy, birth, reproduction and adult sexual behaviours generally increases later in childhood, but there are differences between countries (de Graaf and Rademakers 2011).

Today, media and peer information compete with the knowledge provided by families. In 2019, 70–95% of 3–6-year-olds in Finland attended kindergarten (Finnish Institute for Health and Welfare 2020) with peers. In this age group, the parents of the children are often of childbearing age and become pregnant, and many children find themselves with siblings. As Cacciatore et al. (2020) have observed, children ask about numerous topics related to sexuality in kindergarten where a simple child-level explanation of pregnancy, conception and adult sexuality could help them deal with the varied and confusing sexual health information they encounter.

Safety skills

Two safety images depicted inappropriate peer-to-peer sexual threat and encountering inappropriate material on a smart device. In these situations, children already need the safety skills as to say no, go away and sometimes tell an adult to get explanations or help. If children know these safety skills relevant to everyday situations (e.g. via the Three-Step Rule), they may be able to use the same skills in more serious situations.

The full Three-Step Rule was not mentioned by any of the children interviewed. Only one comprehensive drawing-assisted study has addressed this topic (Gordon, Schroeder, and Abrams 1990). Children's knowledge about safety skills in Gordon's study was greater than in ours, perhaps because of the use of leading questions, such as who to tell if something happened. In both Gordon et al's and our study, however, age correlated strongly with an increase in knowledge. Also, the correlation between children's ability to name their private parts and their knowledge of safety skills was evident in both studies, suggesting that only what is known and named can be protected, and those children who feel that private body parts should not be discussed with adults, may find it difficult to report possible abuse.

Strengths and limitations

This is the first study in Finland to explore the sexual knowledge of very young, and the second largest of only five comparable drawing-assisted studies that employed a wide-ranging approach to sexuality. We were able to collect data directly from a group of culturally diverse children. Many earlier studies collected data primarily from upper-class, native-born, intelligent children (Gordon, Schroeder, and Abrams 1990; Brilleslijper-Kater and Baartman 2000; Brilleslijper-Kater 2005; van Ham et al. 2021).

Using a quantitative method facilitated comparison with other studies. The structured interview protocol enabled us to score and compare the children's responses. Interrater reliability in this study was high. To ensure anonymity, we did not video record the interviews, so detailed non-verbal reactions could not be assessed. Nevertheless, audio recording yielded good quality verbal accounts. For the sake of comparison, in this paper we analysed responses to only five pictures. A more holistic understanding of childhood sexuality could be achieved by analysing more of them, covering topics such as love, diversity, body image and sexual curiosity, which are central in childhood (Cacciatore et al. 2020; Cacciatore, Korteniemi-Poikela, and Kaltiala 2019; González Ortega 2020).

The children in this study were interviewed briefly by female early childhood education teacher who was familiar to them, while most earlier studies used specialist interviewers

18 🛞 R. CACCIATORE ET AL.

over a longer period of time (Wurtele 1993; Brilleslijper-Kater and Baartman 2000; Goldman and Goldman 1982). It is important to recognise that teachers occupy a position of power over children and their interviewing skills likely vary.

One limitation of the present study was that we collected no information on background socioeconomic and cultural factors. These are likely to influence children's knowledge of sexuality and willingness to talk openly about it (Kenny and Wurtele 2008). Finally, our findings represent experience in densely populated areas of Finland rather than in smaller towns or rural areas.

Conclusions

In this study, we found the level of sexuality-related knowledge among 3–6-year-olds to be generally low. Genital naming and safety skills were most familiar. The correlation between children's ability to name their body parts and their knowledge of safety skills suggests that only what is known about and can be named can be protected against. Knowing the names of genitals makes it easier to recognise and disclose sexual abuse, laying the groundwork for future sexuality education.

To support well-being and safety, young children should be able to talk about sexual issues with trusted adults they know. Bodily safety and age-appropriate comprehensive sexuality education should be guaranteed and provided to all children. The cultures of children's families are diverse, so as part of early education children should be taught straightforward terms for the body parts and the value of openness.

To reach all children, including sexuality education as a compulsory part of early childhood education and care is essential. More research is needed, however, on how to understand, support and protect childhood sexuality and to ascertain how age-appropriate sexual knowledge can best be provided to children in the early years.

Acknowledgments

We thank the Family Federation of Finland for facilitating the study. Elements of the study appear in a master's thesis submitted by the second author to Helsinki University (Öhrmark 2021).

Disclosure statement

No potential conflict of interest was reported by the authors.

Funding

The Finnish Cultural Foundation provided financial support (Grant 150124) for this study

ORCID

```
Lotta Öhrmark () http://orcid.org/0000-0002-9495-0650
Julia Kontio () http://orcid.org/0000-0003-3143-1877
Susanne Ingman-Friberg () http://orcid.org/0000-0002-9871-5332
Nina Sajaniemi () http://orcid.org/0000-0002-5959-7572
```

Julia Korkman () http://orcid.org/0000-0002-8734-9453 Riittakerttu Kaltiala () http://orcid.org/0000-0002-2783-3892

References

- Apter, D. 2011. "Recent Developments and Consequences of Sexuality Education in Finland." FORUM Sexuality Education and Family Planning 2: 3–8.
- Bem, S. 1989. "Genital Knowledge and Gender Constancy in Preschool Children." *Child Development* 60 (3): 649–662. doi:10.2307/1130730.
- Brilleslijper-Kater, S., and H. Baartman. 2000. "What Do Young Children Know About Sex? Research on the Sexual Knowledge of Children Between the Ages of 2 and 6 Years." *Child Abuse Review* 9 (3): 166–182. doi:10.1002/1099-0852(200005/06)9:3<166:AID-CAR588>3.0.CO;2-3.
- Brilleslijper-Kater, S. 2005. "Sexual Knowledge in Sexually Abused and Non-Abused 3- to 7-Year-Old Children." Beyond Words: Between-Group Differences in the Ways Sexually Abused and Nonabused Preschool Children Reveal Sexual Knowledge. PhD diss., Vrije Universiteit Amsterdam.
- Cacciatore, R., S. Ingman-Friberg, D. Apter, N. Sajaniemi, and R. Kaltiala. 2020. "An Alternative Term to Make Comprehensive Sexuality Education More Acceptable in Childhood." *South African Journal of Childhood Education* 10 (1): 1–10. doi:10.4102/sajce.v10i1.857.
- Cacciatore, R., S. Ingman-Friberg, L. Lainiala, and D. Apter. 2020. "Verbal and Behavioral Expressions of Child Sexuality Among 1–6-Year-Olds as Observed by Daycare Professionals in Finland." *Archives of Sexual Behavior* 49: 2725–2734. doi:10.1007/s10508-020-01694-y.
- Cacciatore, R., E. Korteniemi-Poikela, and R. Kaltiala. 2019. "The Steps of Sexuality—a Developmental, Emotion-Focused, Child-Centered Model of Sexual Development and Sexuality Education from Birth to Adulthood." *International Journal of Sexual Health* 31 (3): 319–338. doi:10. 1080/19317611.2019.1645783.
- Cacciatore, R., K. Porras, and M. Kalland. 2020. "Safe Body-Emotion Education and Sexuality Education." In *Non-Violent Childhoods Action Plan for the Prevention of Violence Against Children 2020–2025*, edited by U. Korpilahti, H. Kettunen, and E. Nuotio, et al., 176–190. Helsinki: Ministry of Social Affairs and Health.
- Caron, S., and C. Ahlgrim. 2012. "Children's Understanding and Knowledge of Conception and Birth: Comparing Children from England, the Netherlands, Sweden, and the United States." *American Journal of Sexuality Education* 7 (1): 16–36. doi:10.1080/15546128.2012.650970.
- Davies, C., and K. Robinson. 2010. "Hatching Babies and Stork Deliveries: Risk and Regulation in the Construction of Children's Sexual Knowledge." *Contemporary Issues in Early Childhood* 11 (3): 249–262. doi:10.2304/ciec.2010.11.3.249.
- de Graaf, H., and J. Rademakers. 2011. "The Psychological Measurement of Childhood Sexual Development in Western Societies: Methodological Challenges." *Journal of Sex Research* 48 (2–3): 118–129. doi:10.1080/00224499.2011.555929.
- DNA. 2022. "Koululaistutkimus 2022." [school student survey] Available at: https://corporate.dna.fi/ documents/753910/11433306/DNA+Koululaistutkimus+2022.pdf/45cbcfcd-0308-be26-d7c5a6f32a6a02d8?t=1649764482372
- European Court of Human Rights. 2018. "Refusal to Exempt Primary School Pupil from Sex Education Did Not Breach Convention." Press Release, January 18 Available at: https://www.echr.coe.int/ Documents/FS_Childrens_ENG.pdfhttps://www.strasbourgconsortium.org/common/document. view.php?docId=7501
- Finnish Institute for Health and Welfare. 2020. *Tilastoraportti 33/2020 [Statistical report]*. Published 29 September 2020. Available at: https://www.julkari.fi/bitstream/handle/10024/140541/Tr33_20. pdf?sequence=5&isAllowed=y
- Finnish National Agency for Education. 2022. "National Core Curriculum for Early Childhood Education and Care." Available at: https://www.oph.fi/sites/default/files/documents/National% 20core%20curriculum%20for%20ECEC%202022.pdf
- Goldman, R., and J. Goldman. 1982. Children's Sexual Thinking: A Comparative Study of Children Aged 5 to 15 Years in Australia, North America, Britain and Sweden. Lawrence, MA: Routledge & Kegan Paul.

- 20 🕒 R. CACCIATORE ET AL.
- González Ortega, E. 2020. "Research on Childhood Sexuality: Limitations and Recommendations." Summa Psicológica UST 17 (1): 62–69. doi:10.18774/0719-448x.2020.17.455.
- Gordon, B., C. Schroeder, and J. Abrams. 1990. "Age and Social-Class Differences in Children's Knowledge of Sexuality." *Journal of Clinical Child Psychology* 19 (1): 33–43. doi:10.1207/s15374424jccp1901_5.
- Kenny, M., and S. Wurtele. 2008. "Preschoolers' Knowledge of Genital Terminology: A Comparison of English and Spanish Speakers." American Journal of Sexuality Education 3 (4): 345–354. doi:10. 1080/15546120802372008.
- Lahtinen, H. -M. 2022. Child Abuse Disclosure, from the Perspectives of Children to Influencing Attitudes, and Beliefs Held by Interviewers, PhD diss., University of Eastern Finland.
- Lyon, T. 2014. "Interviewing Children." Annual Review of Law and Social Science 10: 73–89. doi:10. 1146/annurev-lawsocsci-110413-030913.
- Niiranen, J., O. Kiviruusu, R. Vornanen, O. Saarenpää-Heikkilä, and J. Paavonen. 2021. "High-Dose Electronic Media Use in Five-Year-Olds and Its Association with Their Psychosocial Symptoms: A Cohort Study." *BMJ Open* 11: 11(e040848. doi:10.1136/bmjopen-2020-040848.
- Öhrmark, L. 2021. "Mitä 3–6-vuotiaat lapset tietävät seksuaalisuudesta?" [What do 3-to-6-year-old Children Know about Sexuality?]. Master's thesis, University of Helsinki. Available at: http://urn.fi/URN:NBN:fi:hulib-202108253503
- Sandnabba, N. K., P. Santtila, M. Wannäs, and K. Krook. 2003. "Age and Gender Specific Sexual Behaviors in Children." *Child Abuse & Neglect* 27 (6): 579–605. doi:10.1016/S0145-2134(03)00102-9.
- van Ham, K. E., S. Hoytema-van Konijnenburg, A. Brilleslijper-Kater, J. G. Schepers, A. Daams, R. R. Teeuw, R. R. van Rijn, and J. H. Van der Lee. 2020. "A Systematic Review of Instruments to Assess Nonverbal Emotional Signs in Children During an Investigative Interview for Suspected Sexual Abuse." *Child Abuse Review* 29 (1): 12–26. doi:10.1002/car.2601.
- van Ham, K. S., S. van Delft, R. Brilleslijper-Kater, J. van Rijn, J. van Goudoever, J. H. van der Lee, and A. Teeuw. 2021. "Reactions of Non-Abused Children Aged 3–9 Years to the Sexual Knowledge Picture Instrument: An Interview-Based Study." *BMJ Paediatrics Open* 5: 1. doi:10.1136/bmjpo-2021-001128.
- Volbert, R. 2000. "Sexual Knowledge of Preschool Children." *Journal of Psychology & Human Sexuality* 12 (1–2): 5–26. doi:10.1300/J056v12n01_02.
- Volbert, R., and A. Homburg. 1996. ""Was wissen zwei-bis sechsjährige Kinder über Sexualität?." [What do children aged 2–6 know about sexuality]." Zeitschrift fur Entwicklungspsychologie und Pädagogische Psychologie 28: 210–227.
- WHO Regional Office for Europe and BZgA. 2010. *Standards for Sexuality Education in Europe:* A Framework for Policy Makers, Educational and Health Authorities and Specialists. Cologne: BZgA. Available at: https://www.bzga-whocc.de/en/publications/standards-in-sexuality-education/
- Wurtele, S. 1993. "Enhancing Children's Sexual Development Through Child Sexual Abuse Prevention Programs." *Journal of Sex Education and Therapy* 19 (1): 37–46. doi:10.1080/01614576.1993.11074068.
- Wurtele, S., and M. Kenny. 2011. "Normative Sexuality Development in Childhood: Implications for Developmental Guidance and Prevention of Childhood Sexual Abuse." *Counseling and Human Development* 43 (9): 1–24.
- Wurtele, S., A. Melzer, and L. Kast. 1992. "Preschoolers' Knowledge of and Ability to Learn Genital Terminology." *Journal of Sex Education and Therapy* 18 (2): 115–122. doi:10.1080/01614576.1992. 11074045.
- Wurtele, S., and J. Owens. 1997. "Teaching Personal Safety Skills to Young Children: An Investigation of Age and Gender Across Five Studies." *Child Abuse & Neglect* 21 (8): 805–814. doi:10.1016/S0145-2134(97)00040-9.