

# Identifying up-to-the-minute topics in software process improvement research

HARRI KETO AND HANNU JAAKKOLA, Tampere University of Technology

---

The development of standards and methods used in software process improvement has for many years been oriented to the identification of best practices, but recent trends show an increasing interest in new research topics, especially in the category of small-to-medium-sized enterprises (SME) and very small entities (VSE). What are these research areas, and what kind of relationship do they have with software process improvement? The goal of this study is to aggregate topics that are up-to-the-minute or very new openings in research from the viewpoint of SMEs and VSEs. Using a systematic mapping study and confining it to the last three years, 26 studies were selected for deeper analysis. Proposals for further studies are made by suggesting practically relevant research questions. Results indicate that software process improvement research remains a robust discipline with plenty of possibilities. The challenges can be met by co-operating with researchers from other disciplines.

Categories and Subject Descriptors: D.2.9 [Software Engineering]: Management—Software Process Models;

General Terms: Mapping study; Software process improvement; very small entities; small-to-medium-sized enterprises

Additional Key Words and Phrases: SPI, VSE, SME

---

## 1. INTRODUCTION

As part of the larger quality management approach called continuous process improvement, software process improvement (SPI) has become a serious engineering discipline for improving the quality of software engineering and its products. According to [Sommerville 2011, p.706], software process improvement means understanding existing processes and changing these processes to increase product quality and/or reduce costs and development time. Today, there are many international SPI standards and disciplined methods that are used in the field. For many years, the development of SPI standards and methods has been oriented to the identification of best practices and their mapping to form a coherent framework like CMMI, ISO/IEC 15504, or ISO/IEC 29110. However, a recent trend shows increasing interest in new areas like customized SPI models and the combination of agile methods and process improvement [Kuhrmann et al. 2016]. These do not contradict each other. On the contrary, recent literature studies also show an increasing interest in the merging of different approaches.

The goal of this study is to identify up-to-the-minute research topics and presumptions about the overriding knowledge bases of SPI in the context of very small entities (VSEs) and small-to-medium-sized enterprises (SMEs). The European Commission has defined the category of SME to consist of micro enterprises (staff < 10), small enterprises (staff < 50), and medium-sized enterprises (staff < 250) [European Commission 2005]. ISO/IEC JTC1/SC7 Working Group 24 has defined the acronym VSE to refer to an enterprise, organization, department, or project having up to 25 people [ISO 2016].

A systematic mapping study was chosen as the research method to be applied [Petersen et al. 2015] [Kitchenham et al. 2011]. We have limited the study to research papers that have been published since 2015 in journals or conference proceedings. The emphasis is on issues, thus the number of factors or studies is not our main interest. If the results are encouraging, it is possible to enlarge this study to cover a longer period and spread the search for a more complete set of papers.

---

Author's address: Harri Keto, Tampere University of Technology, PL 300, 28101 Pori, Finland; email: harri.keto@tut.fi; Hannu Jaakkola, Tampere University of Technology, PL 300, 28101 Pori, Finland; email: hannu.jaakkola@tut.fi.

Copyright © by the paper's authors. Copying permitted only for private and academic purposes.

In: Z. Budimac (ed.): Proceedings of the SQAMIA 2017: 6th Workshop of Software Quality, Analysis, Monitoring, Improvement, and Applications, Belgrade, Serbia, 11-13.09.2017. Also published online by CEUR Workshop Proceedings (CEUR-WS.org, ISSN 1613-0073)

This study is limited to small-to-medium-sized enterprises (SMEs) and very small entities (VSEs). There are two main reasons for this. Firstly, a considerable number of software organizations belong to this category [Richardson and Cresse von Wangenheim 2007][Larrucea et al. 2016]. Secondly, many SMEs and VSEs have implemented agile practices in their development process to a greater or lesser extent. The influence of the agile paradigm poses challenges for SPI approaches. As some papers did not explicitly define the acronyms SME and VSE, it was unrealistic to make reliable deductions about the data between the SMEs and VSEs. The risk is that the categories do not separate the cases in a controlled way.

This paper is structured as follows. In section two, we present related studies in brief, which have been performed recently. In section three, we describe the research design and implementation. The results are presented in section 4. In the last chapter, we complete the paper with a discussion and proposals for further research.

## 2. RELATED STUDIES

In this section, we briefly present recent literature reviews closely related to our study.

In [Kuhrmann et al. 2016] a large systematic literature study is reported where 769 publications were analyzed. The study covers the field of SPI over a period of more than 25 years, presents a big picture of the state-of-the-art, and maps out directions for future research. There are no up-front constraints concerning the organizations, SPI methodology, or software engineering approach. The companies were scaled in three categories: VSE/SME, other company sizes, and global software engineering organizations (GSE). According to the study, the academic community shows a growing research interest in SPI in the context of very small entities and small-to-medium-sized enterprises. While standard assessment and maturity models like CMMI and ISO/IEC 15504 are considered to be well researched, other main research trends focus on new/custom models, success factors, and agile and lean development practices as part of SPI.

There are examples of literature studies that are confined to research on the combination of agile and maturity models. From the viewpoint of CMMI, a systematic literature review in [Henriques and Tanner 2017] brings out two major themes in this context: the coexistence of the agile with CMMI, and the development of agile principle based maturity models. After excluding and reviewing, the final working set was 39 articles. One of their suggestions on future research topics is how to attain higher levels of CMMI maturity using only agile methods. In [Selleri Silva et al. 2015], a similar research interest is reported.

In [da Silva and Carneiro 2016] the systematic literature study focuses on which difficulties are faced by these companies regarding SPI. The study is limited to SMEs. After filtering the relevant articles, 36 articles were left for further investigation. The study indicates that discussion and research on the problems and success factors of SPI implementation in SMEs are relevant and current.

## 3. RESEARCH DESIGN AND IMPLEMENTATION

In this section, we describe the research design and implementation. First, the research method is presented and justified. Then, after describing the research questions, we explain the research steps and make remarks about considerations and constraints concerning each step.

### 3.1 Research method

The research method is based on a systematic mapping study. According to [Petersen et al. 2015], a systematic mapping study is designed to give an overview of the research area by classifying and counting contributions in relation to the categories of the classification. In a nutshell, according to [Kitchenham et al. 2011], the goal is the classification and thematic analysis of literature, the research questions are generic, and only classification data is collected. Quality evaluation is not essential and it is complicated by the inclusive nature of the search. The result is a categorized set of papers related to a topic area. We make an exception in the method such that although we count the papers per category, the number of papers is interpreted as being irrelevant. We justify this by the fact that even an individual contribution can be relevant from the point of view of further study. We restrict this study only to the past few years, so the identification of wide trends is not possible either. As for trends, we refer to related studies in section 2.

We have applied the following five research steps:

- 1) Defining research questions
- 2) Search for studies
- 3) Study selection
- 4) Classification of papers
- 5) Analysis

The process has been very iterative. Re-reading was necessary because two of the four classes were partly based on analysis. We used two general classification categories and two categories were deduced by analyzing the papers. Analysis was performed by making cross-reference tables between the categories.

### 3.2 Defining the research questions

The primary goal of this mapping study is to create a preliminary categorization of up-to-the-minute SPI research topics in the context of SMEs and VSEs. The second goal is to identify the main presumptions about the overriding knowledge bases of SPI. In other words, what are the trusted premises of SPI? The main research question is expressed as openly as possible. Instead of referring to predefined SPI themes, we try to identify relevant topics by recognizing the primary goals of the studies. Then, within the material found, assumptions about the source of SPI knowledge and proposals for further research can be identified. In Table I, we present three research questions and their respective goals.

Table I. Research questions and respective goals

Research Question	Goal
RQ1: What kinds of practical challenges of SPI can be identified from the viewpoint of a software organization?	To illustrate the primary challenges which a software organization has to overcome. These challenges reflect potential current research topics.
RQ2: What presumptions about the sources of SPI knowledge can be identified?	To illustrate assumptions about the characteristics and bases of knowledge behind the SPI approaches.
RQ3: What kinds of SPI-related research subjects are suggested or what subjects can be implicitly derived?	To illustrate potential and current SPI research subjects.

RQ1 reflects the topics that are relevant from the viewpoint of software organizations to overcome SPI challenges. By identifying the primary goals of SPI research, we can illustrate what the practical challenges behind the research are. RQ2 concentrates on the knowledge sources of SPI, i.e., where the

overall understanding about the means, goals, and resources of SPI initiatives comes from. Practical research subjects can be derived from practical challenges and therefore RQ1 is a forerunner of RQ3.

### 3.3 Search for studies

To retrieve relevant research papers, a search string was defined. The common term “software process improvement” is a generally used expression. We expanded the possibilities by simplifying the string to “process improvement”. “Software” can be left out by restricting the query to the field of science. If there are extra papers on the result set, they can be excluded manually. The term “process assessment” is used in papers which concentrate only on the assessment step. We used this as an alternative to “improvement”. The other component of the query is the size of the organization. We first assumed that if the acronyms VSE and SME are used in the abstract, they should also be explained. The test query showed that this is not true in some cases. As a result, we also used the acronyms in the query.

The search string was formed as follows: ("process improvement" OR "process assessment") AND ("small\*" OR "VSE" OR "SME"). The searches performed on the databases of Scopus, IEEE Xplore, and ACM on June 10 2017. The search targets were abstracts. The subject area was limited to computer science and engineering. Only papers published in conference proceedings or journals were retrieved. The year of publication was restricted to 2015 or later. After removing the duplicates, a total number of 54 studies were found. Mendeley reference manager software was used to detect duplicates.

### 3.4 Study selection

The selection of relevant studies was made by filtering the papers found by using inclusion and exclusion criteria. We considered the following two inclusion criteria:

- IC1: The study presents or discusses methods, approaches, standards, scenarios, research challenges, or opportunities of software process improvement (SPI).
- IC2: The study presents research in the context of very small entities (VSEs) or small-to-medium-sized enterprises (SMEs).

For those publications that passed the inclusion criteria, five exclusion criteria were applied to reduce the publications to only those that were directly aligned with the focus of the study. These criteria were:

- EC1: The paper is not directly related to software engineering.
- EC2: The paper is not directly related to process improvement.
- EC3: The paper is not a primary study, but uses other studies as a main source.
- EC4: The paper is a previous version of a more complete study about the same research.
- EC5: The paper is not written in English.

After using the inclusion and exclusion criteria, 26 articles from the 54 were left for deeper analysis and classification (See the APPENDIX)

### 3.5 Classification of papers

We used three groups of qualities to classify the papers:

- C1: Category of SPI approach.
- C2: Primary goal of the study.
- C3: Presumptions about the primary source of SPI knowledge.

C1 is a general category which has been used by other researchers. The remaining categories C2 and C3 were drawn up by analyzing the content of the papers.

Pettersson et al. divide *SPI approaches* (C1) into two categories: *prescriptive top-down* and *inductive bottom-up* approaches [Pettersson et al. 2008] [Gorschek 2006]. We refer to these categories as the *P category* (prescriptive) and the *I category* (inductive). The P category frameworks are based on recognized best practices, which have been documented as a standard model. Frameworks like CMMI, ISO/IEC 15504, and ISO/IEC 29110 belong to this category. There is an assumption that the more an organization's processes matches the requirements of the model, the higher its level of maturity or process capability. In the I category methods, the focus of the first step is to understand organizations' current situation (processes) and to determine the causes of significant problems. The improvement efforts are focused on the most critical issues from the organization point of view. Examples of the inductive approach are the Experience Factory (EF), the Quality Improvement Paradigm (QIP) [Basili 1995], and the retrospective meeting of Scrum [Schwaber and Beedle 2001]. Using an inductive approach, the basis for improvement comes from organizational experience and knowledge rather than a normative reference model. Inductive methods are adapted to the current state of software organizations [Pettersson et al. 2008]. The *category of SPI approach* was concluded by identifying the primary referential background of the framework. There were 14 articles on the P category and 10 articles were classified into the I category. Furthermore, two articles were identified as having a mixed approach (P/I).

The second category C2, *the goal of each study* reflects the research problems RQ1 and RQ3. We interpreted the goal of each study from the viewpoint of the software organization. This way we emphasize the practical value of the papers. This was carried out by first writing down the goal of the research in one sentence. Then, by using an iterative reading of both the article and the goal, we picked out the keywords which mostly reflected the practical interest of the software organization. We used the following criterion for the keyword: it should be possible to form a question using the words: "How to ... SPI". For example, with the keyword "enable" we can ask "How to enable SPI in an organization?" Table II shows how the keywords are divided into P and I category approaches.

Table II. Challenges of SPI in VSEs and SMEs

SPI approach	Primary goal / Challenge (How to... SPI?)
P category	adopt, adopt/integrate, enable, integrate, self-assess, simplify/tailor, simplify/integrate
I category	enable, identify, integrate, learn, perceive
P/I category	adopt, model/tailor

After a careful revision, 10 keywords were identified: adopt, enable, identify, integrate, learn, model, perceive, simplify, self-assess, and tailor. There were four articles where we had to use two keywords instead of one to capture the main message. Two articles were classified as "simplify/tailor" because their message was "How to simplify a standard model and tailor it for practical purposes". The other two-part keywords were "adopt/integrate," "integrate/simplify," and "model/tailor."

The third category C3 is *presumptions about the primary source of SPI knowledge*. In other words, the knowledge base that is trusted as an overriding source of SPI expertise. This was identified by keywords that answer research question RQ2: What presumptions about the sources of SPI knowledge can be identified? These "SPI drivers" were categorized into SPI standard, people, organization, method (other than SPI standard), and multi-factor.

The overriding sources of SPI knowledge that were found are presented in Table III. The category of *SPI standard* consists of industry standards, which are used together (multi-model) or are somehow tailored or simplified to adapt to the context. The *organization* category refers to properties that refer to organization-specific factors. The category of *people* refers to human properties. The category of

*method* consists of approaches other than standards. The *research* category collects success factors that are identified and reported by researchers, mostly in case studies.

Table III. Primary source of SPI knowledge

Category	Primary source of knowledge
SPI standard	lightweight model, multi-model, standard, tailored model
Organization	business objectives, information flows, organization environment, organizational characteristics, organizational elements, organizational knowledge, practical needs, process modeling
People	experience, human factors, interpersonal skills, beliefs, tacit knowledge, professional knowledge, culture
Method	agile approach, lean approach, total quality management (TQM)
Research	success factors

The categories of the primary sources of SPI knowledge overlap. For example, success factors in the research category include factors from the other groups. In that regard, the categories are not theoretically valid; they are merely the subjects of overlapping groups.

#### 4. RESULTS

The categories and data presented in the previous chapter are analyzed by making cross-reference tables between the categories. The results are collected here under the research questions.

##### **RQ1: What kinds of practical challenges of SPI can be identified from the viewpoint of a software organization?**

In Table II, the challenges are presented by grouping them according to the SPI approach. In the P category, there are challenges about how to enable or adopt standard-based SPI in the organization, and how to integrate different approaches. There are also the challenges of simplifying and tailoring a standard-based approach. In addition, self-assessment is mentioned. Also, in the I category approaches, the integration of different SPI methods is involved. Another similarity is the enabling factors of an SPI initiative. In addition, there are challenges about the identification of the subject to improve and challenges about learning during the SPI initiative.

##### **RQ2: What presumptions about the sources of SPI knowledge can be identified?**

We defined the primary source of SPI knowledge as referring to the knowledge bases that are trusted as an overriding source of SPI expertise. In Table III, these trusted premises of SPI are categorized. In a standard-based approach, a lightweight or tailored model, in addition to the standard itself, is seen as the main driver of SPI. In a multi-model approach, two or more standards are used to form a comprehensive and coherent framework. Each standard has its own purpose in the framework. In the organization category, eight organizational properties or components of an operations model are identified. The people category consists of seven human-centric properties. These human issues together with the organization category refer to the fact that the methods of anthropocentric sciences and organization study could offer information and additional possibilities for SPI research. The method category refers to approaches other than standard SPI methodologies. The three identified approaches are well known and accepted quality initiatives. The agile and lean are modern approaches that concentrate on the customer-oriented production philosophy. TQM is a management approach that forms an overall framework for quality measurement and improvement.

### **RQ3: What kinds of SPI-related research subjects are suggested or what subjects can be implicitly derived?**

Research question RQ3 is an offshoot of RQ1. The following research question proposals are derived from the practical challenges facing software organizations. The list is organized by the category of approach (C1).

Proposed research questions of P category approaches:

- How to adopt a prescriptive SPI method?
- How to adopt a prescriptive SPI method and integrate it with other methods used?
- How to enable a standard-based SPI initiative?
- How to integrate a prescriptive SPI method with other methods used?
- How to carry out self-assessment?
- How to simplify a prescriptive method and tailor it for a project's needs?
- How to simplify a prescriptive method and integrate it with other methods used?

Proposed research questions of I category approaches:

- How to enable an inductive SPI initiative?
- How to identify the targets of improvement in inductive SPI?
- How to integrate an inductive method with other methods used?
- How to enable learning in an inductive SPI initiative?
- How to perceive progress in inductive SPI?

Proposed research questions of P/I category approaches:

- How to adopt an SPI approach in a multi-model SPI initiative?
- How to model a process and tailor methods in a multi-model SPI initiative?

Challenges such as self-assessment, simplification, integration, and tailoring are interesting research subjects from the viewpoint of VSEs and SMEs. Most prescriptive approaches presume an outside evaluator or at least special expertise, which means extra resource costs. Self-assessment with a simplified and tailored model is one way to challenge the thresholds of SPI. The tailoring of models for specific needs and the integration of approaches brings flexibility, but at the same time there is a risk that special expertise will be needed. Two challenging subjects stand out in the I category: the identification of improvement targets and perceiving the progress of SPI. This might indicate that inductive methods lack methodological support for these steps of the SPI process. However, since our sample consists of just a few papers, reliable deductions cannot be made. SPI is not the playground of a single method or approach. A lot of interest has also been focused on multi-model approaches and integration.

## **5. CONCLUSION**

Using a systematic mapping study and confining it to the last three years, 26 studies were selected for deeper analysis. After classifying and analyzing the results set, proposals for further studies were made by suggesting practically relevant research questions. Results indicate that research of software process improvement is still a robust discipline with plenty of possibilities. By integrating the results of RQ3 with the knowledge sources listed in RQ2, even more variety in research possibilities can be obtained.

This study gives a good starting point for further study. Firstly, the timeline of the search should be extended. The chronological scale of searched papers should be at least five years. Secondly, the size of the target organizations should be narrowed down more. Our study covers data concerning both SME and VSE software organizations. Other studies state that there are significant differences between

these categories [Richardson and Cresse von Wangenheim 2007] [Sánchez-Gordón and O'Connor 2016]. Finally, our results show clearly that software process improvement is not just a pocket of software engineering. The challenges can be met by co-operating with other disciplines. For example, a comparative study of prescriptive and inductive approaches with other fields of engineering could be fruitful.

## REFERENCES

- Victor R. Basili. 1995. The Experience Factory and Its Relationship to Other Quality Approaches. In *Advances in Computers*. 65–82. DOI:[https://doi.org/10.1016/S0065-2458\(08\)60231-4](https://doi.org/10.1016/S0065-2458(08)60231-4)
- European Commission. 2005. *The New SME Definition - User guide and model declaration*, Tony Gorschek. 2006. *Requirements Engineering Supporting Technical Product Management*. Blekinge Institute of Technology.
- V. Henriques and M. Tanner. 2017. A systematic literature review of agile and maturity model research. *Interdiscip. J. Information, Knowledge, Manag.* 12 (2017), 53–73.
- ISO. 2016. *ISO/IEC TR 29110-1 Systems and software engineering - Lifecycle profiles for Very Small Entities (VSEs) -- Part 1: Overview.*, Geneva.
- Barbara Kitchenham, David Budgen, and O. Pearl Brereton. 2011. Using mapping studies as the basis for further research - A participant-observer case study. *Inf. Softw. Technol.* 53, 6 (2011), 638–651. DOI:<https://doi.org/10.1016/j.infsof.2010.12.011>
- Marco Kuhrmann, Philipp Diebold, and Jürgen Münch. 2016. Software process improvement: a systematic mapping study on the state of the art. *PeerJ Comput. Sci.* 2 (May 2016), e62. DOI:<https://doi.org/10.7717/peerj-cs.62>
- Xabier Larrucea, Rory V O'Connor, Ricardo Colomo-Palacios, and Claude Y. Laporte. 2016. Software Process Improvement in Very Small Organizations. *IEEE Softw.* 33, 2 (March 2016), 85–89. DOI:<https://doi.org/10.1109/MS.2016.42>
- Kai Petersen, Sairam Vakkalanka, and Ludwik Kuzniarz. 2015. Guidelines for conducting systematic mapping studies in software engineering: An update. *Inf. Softw. Technol.* 64 (2015), 1–18. DOI:<https://doi.org/10.1016/j.infsof.2015.03.007>
- F. Pettersson, M. Ivarsson, T. Gorschek, and P. Öhman. 2008. A practitioner's guide to lightweight software process assessment and improvement planning. *J. Syst. Softw.* 81, 6 (June 2008), 972–995. DOI:<https://doi.org/10.1016/j.jss.2007.08.032>
- Ita Richardson and Christiane Cresse von Wangenheim. 2007. Why Are Small Software Organizations Different? *IEEE Softw.* , January/February (2007), 18–22.
- Mary-Luz Sánchez-Gordón and Rory V. O'Connor. 2016. Understanding the gap between software process practices and actual practice in very small companies. *Softw. Qual. J.* 24, 3 (September 2016), 549–570. DOI:<https://doi.org/10.1007/s11219-015-9282-6>
- Ken Schwaber and Mike Beedle. 2001. *Agile software development with Scrum*, Prentice Hall.
- Fernando Selleri Silva et al. 2015. Using CMMI together with agile software development: A systematic review. *Inf. Softw. Technol.* 58 (February 2015), 20–43. DOI:<https://doi.org/10.1016/j.infsof.2014.09.012>
- Gledston Carneiro da Silva and Glauco de Figueiredo Carneiro. 2016. Software Process Improvement in Small and Medium Enterprises: A Systematic Literature Review. In *Information Technology: New Generations. Advances in Intelligent Systems and Computing*. Springer, 603–613. DOI:[https://doi.org/10.1007/978-3-319-32467-8\\_53](https://doi.org/10.1007/978-3-319-32467-8_53)
- Ian Sommerville. 2011. *Software Engineering* 9th ed., Boston: Pearson Education Inc.

## APPENDIX

Access to the list of papers included in the analysis: [https://tutfi-my.sharepoint.com/personal/harri\\_keto\\_tut\\_fi/\\_layouts/15/guestaccess.aspx?docid=08278b0dc0a394e109103bf8b388fbd8&authkey=ASlZjCCL9cDsFsjoBJ1dKYU](https://tutfi-my.sharepoint.com/personal/harri_keto_tut_fi/_layouts/15/guestaccess.aspx?docid=08278b0dc0a394e109103bf8b388fbd8&authkey=ASlZjCCL9cDsFsjoBJ1dKYU)